

TPF-5(522)PG3 Study – DeIDOT

Mike Beulah



Excellence in Transportation **Every Trip.**

We strive to make every trip taken in Delaware safe, reliable and convenient for people and commerce.

Every Mode.

We provide safe choices for travelers in Delaware to access roads, rails, buses, airways, waterways, bike trails and walking paths.

Every Dollar.

We seek the best value for every dollar spent for the benefit of all.


Everyone.

We engage our customers and employees with respect and courtesy as we deliver our services.

TPF-5(522) PG3 - Delaware

Location Info:

- Kent County, DE
- Located in Delaware's only Amish Community (pop. ~2,000)
- SR8 from Sharon Hill Rd to MD State line
- Avg AADT = 9,223
- Length = 9.75 miles



PG3 Treatment

- Patching shoulders to address deterioration
 - Areas where rutting is greater than $\frac{1}{2}$ "
- Multi-operation of Microsurfacing 30 lbs/sy on shoulders for entire length
 - 1st stage single rut fill 10 lbs/sy to address buggy rutting less than $\frac{1}{2}$ "
 - 2nd stage standard application 20 lbs/sy across shoulder width
- Construction is anticipated to start late Spring/Summer of 2025




Updates

- Treatment placed in October 2025
- Since October we have had two major snow events and a significant rain event.
- Following photos taken March 2026 and had signs placed to identify the test section for anyone that may visit it is easily identifiable.

Updates (October Photos)



Updates (March photos)





**QUESTIONS &
COMMENTS**



THANK YOU!



<https://linktr.ee/delawaredot>